

JIS Globe Valve - Straight - Screwed & Secured Bonnet

Standard	F7301	F7351	F7303	F7409
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15 - 65		DN15 - 40	
Type	Stop	SDNR	Stop	SDNR

* DN50-65 Bolted Bonnet



521JIS

JIS Globe Valve - Angle - Screwed & Secured Bonnet

Standard	F7302	F7352	F7304	F7410
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15 - 65		DN15 - 40	
Type	Stop	SDNR	Stop	SDNR

* DN50-65 Bolted Bonnet



521AJIS

JIS Globe Valve - Straight - Union Bonnet

Standard	F7346	F7411	F7348	F7413
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15 - 40			
Type	Stop	SDNR	Stop	SDNR



52JIS

JIS Globe Valve - Angle - Union Bonnet

Standard	F7347	F7412	F7349	F7414
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15 - 40			
Type	Stop	SDNR	Stop	SDNR



52AJIS

JIS Lift Check Valve - Straight - Screwed & Secured Bonnet

Standard	F7356			
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15 - 40			
Type	Secured Bonnet			



631JIS

JIS Lift Check Valve - Angle - Screwed & Secured Bonnet

Standard	F7356			
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15 - 40			
Type	Secured Bonnet			



631AJIS

JIS Lift Check Valve - Straight - Union Bonnet

Standard	F7415	F7417		
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15-40			
Type	Union Bonnet			



63JIS

JIS Lift Check Valve - Angle - Union Bonnet

Standard	F7416	F7418		
Material	Rg5			
Trim	Rg5			
Rating	5K		16K	
DN	DN15 - 40			
Type	Union Bonnet			



63AJIS

JIS Gate Valve - Rising Stem - Union Bonnet

Standard	F7367	F7368		
Material	Rg5			
Trim	Rg5			
Rating	5K		10K	
DN	DN15 - 40			
Type	Rising Stem			



69JIS

JIS Swing Check Valve - Screwed Bonnet

Standard	F7371			
Material	Rg5			
Trim	Rg5			
Rating	5K		10K	
DN	DN25 - 40			
Type	Screwed Bonnet			



73JIS

JIS Self Closing Drain Valve

Standard	F7398			
Material	Rg5			
Trim	Rg5			
Rating	5K			
DN	DN25 - 50			
Type	Spring Loaded			



65JIS

JIS Self Closing Drain Valve - U Type

Standard	F7398U			
Material	Rg5			
Trim	Rg5			
Rating	10K			
DN	DN25 - 50			
Type	U Type			



66JIS

JIS Fire Valve - Straight - Screwed / Bolted Bonnet

Standard	F7334			
Material	Rg5			
Trim	Rg5			
Rating	5K	10K	5K	10K
DN	DN15 - 25		DN40 - 65	
Type	Secured Bonnet 712JIS		Bolted Bonnet 71JIS	



**712JIS
71JIS**

JIS Fire Valve - Angle - Screwed / Bolted Bonnet

Standard	F7334			
Material	Rg5			
Trim	Rg5			
Rating	5K	10K	5K	10K
DN	DN15 - 25		DN40 - 65	
Type	Secured Bonnet 712AJIS		Bolted Bonnet 71AJIS	



**712AJIS
71AJIS**

JIS Fire Valve - Straight - Yoke Bonnet

Standard	F7333	
Material	Rg5	
Trim	Rg5	
Rating	5K	10K
DN	DN50	DN50-65
Type	Yoke Bonnet	



711JIS

JIS Fire Valve - Angle - Yoke Bonnet

Standard	F7333	
Material	Rg5	
Trim	Rg5	
Rating	5K	10K
DN	DN50	DN50 - 65
Type	Yoke Bonnet	



711AJIS

JIS Quick Closing Valve

Standard	F7399	
Material	Rg5	
Trim	Rg5	
Rating	5K	10K
DN	DN25 - 40	
Type	Manuel Operated	



553JIS

JIS Gate Sounding Cock

Standard	F3019	
Material	Rg5	
Trim	Rg5	
Rating	5K	
DN	DN40 - 80	
Type	For Short Sounding Pipe	



847JIS

JIS Y Type Strainer - Screwed Bonnet

Standard	F7220D	
Material	Rg5	
Trim	SS	
Rating	10K	
DN	DN15 - 40	
Type	Screwed Bonnet	



771JIS

JIS Foot Valve

Standard	F3056	
Material	Rg5	
Trim	Rg5	
Rating	5K	10K
DN	DN40 - 300	
Type	Compact Construction	



80JIS

JIS Can Water Filter - Straight

Standard	F7121	
Material	Rg5	
Trim	SS	
Rating	5K	10K
DN	DN25 - 100	
Type	Quick Opening	



792JIS

JIS Can Water Filter - Straight

Standard	F7121	
Material	Rg5	
Trim	SS	
Rating	5K	10K
DN	DN125 - 400	
Type	Support Feet	



792JIS

JIS Mud Box - Straight

Standard	F7203	
Material	Rg5	
Trim	SS	
Rating	5K	10K
DN	DN40-200	
Type	Quick Opening	



79JIS

JIS Mud Box - Angle

Standard	F7203	
Material	Rg5	
Trim	SS	
Rating	5K	10K
DN	DN40-250	
Type	Quick Opening	



79AJIS

JIS Globe Valve - Straight - Bolted Bonnet

Standard	F7305	F7353	F7307	F7375	F7309	F7377
Material	GG25					
Trim	Rg5					
Rating	5K		10K		16K	
DN	DN50 - 400		DN50 - 300		DN50 - 200	
Type	Stop	SDNR	Stop	SDNR	Stop	SDNR



10JIS

JIS Globe Valve - Angle - Bolted Bonnet

Standard	F7306	F7354	F7308	F7376	F7310	F7378
Material	GG25					
Trim	Rg5					
Rating	5K		10K		16K	
DN	DN50 - 400		DN50-400	DN50-200	DN50 - 200	
Type	Stop	SDNR	Stop	SDNR	Stop	SDNR



10AJIS

JIS Globe Valve - Straight - Bolted Bonnet

Standard	F7311	F7311	F7319	F7471	F7313	F7473	F7315	F7315
Material	GSC25							
Trim	SS							
Rating	5K		10K		20K		30K	
DN	DN50 - 300			DN32 - 250		DN100-150		
Type	Stop	SDNR	Stop	SDNR	Stop	SDNR	Stop	SDNR



10JIS

JIS Globe Valve - Angle - Bolted Bonnet

Standard	F7312	F7312	F7320	F7472	F7314	F7474	F7316	F7316
Material	GSC25							
Trim	SS							
Rating	5K		10K		20K		30K	
DN	DN50 - 300			DN32 - 250		DN100 - 150		
Type	Stop	SDNR	Stop	SDNR	Stop	SDNR	Stop	SDNR



10AJIS

JIS Lift Check Valve - Straight - Bolted Bonnet

Standard	F7358					
Material	GG25					
Trim	Rg5					
Rating	5K			10K		
DN	DN50 - 200					
Type	Bolted Bonnet					



44JIS

JIS Lift Check Valve - Angle - Bolted Bonnet

Standard	F7359					
Material	GG25					
Trim	Rg5					
Rating	5K			10K		
DN	DN50 - 200					
Type	Bolted Bonnet					



44AJIS

JIS Gate Valve with Indicator - Bolted Bonnet

Standard	F7363	F7364	F7369	F7366
Material	GG25			GSC25
Trim	Rg5			SS
Rating	5K	10K	16K	10K
DN	DN50 - 600		DN300 - 400	DN50 - 400
Type	Indicator			



18JIS

JIS Swing Check Valve - Bolted Bonnet

Standard	F7372		F7373	
Material	GG25			
Trim	Rg5			
Rating	5K		10K	
DN	DN50 - 250		DN50 - 200	
Type	Bolted Bonnet			



34JIS

JIS Can Water Filter - Straight

Standard	F7121			
Material	GG25		GSC25	
Trim	SS			
Rating	5K	10K	5K	10K
DN	DN25 - 100			
Type	Quick Opening			



381JIS

JIS Can Water Filter - Straight

Standard	F7121			
Material	GG25		GSC25	
Trim	SS			
Rating	5K	10K	5K	10K
DN	DN125 - 400			
Type	Support Feet			



381JIS

JIS Mud Box - Straight

Standard	F7203			
Material	GG25		GSC25	
Trim	SS			
Rating	5K	10K	5K	10K
DN	DN40 - 200			
Type	Quick Opening			



38JIS

JIS Mud Box - Angle

Standard	F7203			
Material	GG25		GSC25	
Trim	SS			
Rating	5K	10K	5K	10K
DN	DN40 - 250			
Type	Quick Opening			



38AJIS

JIS Storm Valve with Plug - Straight

Standard	F3058R		
Material	GSC25		
Trim	Rg5		
Rating	5K	10K	
DN	DN50 - 200		
Type	Plug for Closing Device		



33JIS

JIS Storm Valve with Closing Device - Straight

Standard	F3060R		
Material	GSC25		
Trim	Rg5		
Rating	5K	10K	
DN	DN50 - 200		
Type	Closing Device		



33CDJIS

JIS Storm Valve with Plug - Angle

Standard	F3058H		
Material	GSC25		
Trim	Rg5		
Rating	5K	10K	
DN	DN50 - 200		
Type	Plug for Closing Device		



33AJIS

JIS Storm Valve with Closing Device - Angle

Standard	F3060H		
Material	GSC25		
Trim	Rg5		
Rating	5K	10K	
DN	DN50 - 200		
Type	Closing Device		



33ACDJIS

JIS Storm Valve with Plug - Horizontal

Standard	F3058V		
Material	GSC25		
Trim	Rg5		
Rating	5K	10K	
DN	DN50 - 200		
Type	Plug for Closing Device		



331JIS

JIS Storm Valve with Closing Device - Horizontal

Standard	F3060V		
Material	GSC25		
Trim	Rg5		
Rating	5K	10K	
DN	DN50 - 200		
Type	Closing Device		



331CDJIS

JIS Quick Closing Valve - Straight

Standard	F7425	F7426		
Material	GGG40.3	GSC25		
Trim	SS			
Rating	5K	10K	5K	10K
DN	DN15 - 200			
Type	Release Cylinder for Hydraulic, Pneumatic and Manual Op.			



13JIS

JIS Self Closing Valve - Straight

Standard	F7425	F7426		
Material	GG25	GSC25		
Trim	SS			
Rating	5K	10K	5K	10K
DN	DN15 - 100			
Type	Counter Weighted Lever			



14JIS

JIS Y Type Strainer - Bolted Bonnet

Standard	F7220			
Material	GG25	GSC25		
Trim	SS			
Rating	5K	10K	5K	10K
DN	DN20-50			
Type	Bolted Bonnet			



36JIS

JIS Foot Valve

Standard	F3056		
Material	AISI316		
Trim	SS		
Rating	5K	10K	
DN	DN40 - 300		
Type	Compact Construction		



39JIS

JIS Suction Strainer

Standard	F7206		
Material	Galvanized	AISI316	
Trim	-		
Rating	-		
DN	DN40 - 300		
Type	Special Screen Mesh		



40JIS

JIS Deck Piece for Sounding Pipe

Standard	F3002		
Material	Steel		
Trim	Rg5		
Rating	-		
DN	DN40 - 80		
Type	For Sounding Pipe		



841JIS

High Quality Marine & Industrial Valves

Dikkan, established in 1978 has its place as one of the well-known foundry and valve manufacturer in the world. Besides industrial and marine valves manufacturing, Dikkan serves also the construction, machine building, automotive, agriculture and irrigation industries.

Dikkan premises build on 150.000 sq. yards (90.000 sq. meters) with modern CNC units, well equipped laboratories, superior quality understanding, R&D activities, internal and outsourced training added to the certificates gained over the years, keeps Dikkan up as the domain market leader. Having obtained a good share in the world market, Dikkan exports to 6 continents.

Physical and Mechanical analyses are performed in Dikkan's well equipped laboratories trough a spectrometer, hardness measuring device, PC supported metal microscope, elongation tensile measurement machine, notch/stroke test device. Test results are appraised on the Certificate of Manufacture and 3.1 Inspection Certificate according to DIN EN 10204 norm. Production is certified by Lloyd's Register for ISO 9001:2008. Products are CE marked by TÜV Rheinland. Dikkan holds also; TL (Turkish Loyd / Turkey), LR (Lloyd's Register / UK), DNV-GL (Det Norske Veritas- Germanischer Lloyd / Norway, Germany), Royal Institution of Naval Architects (RINA), BV (Bureau Veritas / France), TSE (Turk Standartlari Enstitusu / Turkey) approvals. Dikkan manufactures according to DIN, JIS, ANSI, VG norms.

By continuing its investments and improving its production on a balanced basis, Dikkan Group aims to provide employment opportunities and reach a high level of customer satisfaction and serve the national economy at this way.



DIKKAN A.S.

Izmir Kemalpaşa Yolu Hayitlikir Mevkii No:30 **Kemalpaşa - Izmir / TURKEY**
Phone: 009 0232 877 17 14 - Fax: 009 0232 877 17 15 - e-mail:info@dikkan.com

www.dikkan.com